	Type	L #	Hits	Search Text	DBs
1	BRS	L1	24110	power adj1 failure	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB
2	BRS	L2	1216	1 and (backup adj1 power)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB
3	BRS	L3	108	2 and packets	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB
4	BRS	L4	71	3 and buffer$5	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB
5	BRS	L5	0	4 and (select$6 adj2 packets)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB

	Type	L #	Hits	Search Text	DBs
6	BRS	L6	46	4 and selecting	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB
7	BRS	L7	38	6 and priority	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB
8	BRS	L8	30	7 and voice	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB
9	BRS	L9	0	selecting adj1 stor$5 adj2 packets adj4 power	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB
10	BRS	L11	0	10 and power	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB

	Type	L #	Hits	Search Text	DBs
11	BRS	L10	4	selected adj1 stor$5 adj1 packets	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB
12	BRS	L12	24110	power adj1 failure	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB
13	BRS	L13	1920	1 and (select$5 adj2 stor$5 packets)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB
14	BRS	L14	0	1 and (select$5 adj2 stor$5 adj1 packets)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB
15	BRS	L15	35	1 and (stor$5 adj1 packets)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB

	Type	L #	Hits	Search Text	DBs
16	BRS	L16	6	15 and voice	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB
17	BRS	L17	0	16 and (backup adj1 power)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB